

[Softness and dexterity]




### >> Type of use (\*)

This fine goat leather glove is particularly suitable for all kinds of fine or light handling good dexterity.

Fine handling in a dry environment, assembly of small parts, maintenance of green spaces, gardening, floriculture, horticulture...

### >> Technical features

- ✓ **Construction** : Natural goatskin leather palm. Shirred elastic back. Gunn cut pattern.
- ✓ **Material** : Leather finger tips. One piece leather forefinger. Red cotton interlock ventilated back.
- ✓ **Color** : white and red.
- ✓ **Sizes** : 6, 7, 8, 9, 10, 11.
- ✓ **Packing** : - Carton of 100 pairs.   
- Bundle of 10 pairs.

Learn more : [www.singer.fr](http://www.singer.fr)

**Fine work  
in a dry  
environment**



### >> Advantages

- ✓ Softness and comfort of goat leather.
- ✓ The raw materials combine dexterity and resistance.
- ✓ The back of the glove with cotton allowing the hand to breath.
- ✓ **ISO 9001** certified manufacturing.

### >> Conformity


This glove has been tested according to the following European standards :

- **EN 420 : 2003 + A1 : 2009**. Protective gloves - General requirements and test methods.
- **EN 388 : 2016**. Protective gloves against mechanicals risks.

It complies with **European Regulation (EU) 2016/425** on Personal Protective Equipment (PPE). **Category II**.  
EU type examination certificate (module B) issued by **SGS**, notified body n°0120.



#### EN 388: 2016. Protective gloves against mechanical risks

Mechanical data. Information about levels.	Level 1	Level 2	Level 3	Niveau 4	Level 5	Levels ▼	<b>EN 388 : 2016</b>  <b>1 0 1 1 X</b>
Abrasion resistance (number of cycles)	100	500	2000	8000	-	<b>1</b>	
Blade cut resistance (index)	1,2	2,5	5,0	10,0	20,0	<b>0</b>	
Tear resistance (in Newtons)	10	25	50	75	-	<b>1</b>	
Perforation resistance (in Newtons)	20	60	100	150	-	<b>1</b>	
Cut resistance (as per EN ISO13997) (TDM test)	Level A	Level B	Level C	Level D	Level E	Level F	Level
	2	5	10	15	22	30	<b>X</b>

«X» means that the glove has not been submitted to the test.

Your distributor **SINGER® SAFETY**

**SINGER®**   
safety