

15 GAUGE



Fabriqué sous



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



>> Type of use (*)

Thanks to its technical characteristics, this glove is particularly suitable for all the main light jobs requiring dexterity as well as works in wet conditions. General handling, driver, warehousing, storage, maintenance of green areas, packaging, logging... For masons, roofers, landscapers, carpenters, gardeners ...

>> Technical features

- ✓ **Construction:** knitted seamless pattern, with water repellent treatment. Elastic knitted wrist. Open back version.
 - ✓ **Gauge:** 15.
 - ✓ **Materials:**
 - Liner in polyamide.
 - Coating: special P.V.C foam coating on palm. (HPT **Hydropellent Technology™**). (encapsulated air molecules). With P.V.C dots on palm. With **Sanitized®**.
 - ✓ **Colour:** red liner, black coating.
 - ✓ **Sizes:** 8, 9, 10.
 - ✓ **Packing:** - carton of 100 pairs.
- bundle of 10 pairs.
- Learn more: www.singer.fr



>> Advantages

- ✓ **Seamless construction:** improves user comfort (will avoid rough points and consequently the risks of reddening or irritation of the skin). Improves dexterity for easy handling of small parts and reduces hand fatigue.
- ✓ **The CFT (Compressed Formula Technology) HPT™ (Hydropellent technology)** coating process creates a thin layer of material that is flexible, consistent and durable. This unique material repels liquids and offers to the user an exceptional good grip even in wet conditions! Encapsulated air molecules provide an inherent vibration absorption feature.
- ✓ **Elasticated knitted wrist** for a snug fit. ✓ The back of the glove **uncoated** allowing the hand to breathe.
- ✓ **Sanitized®** treatment protection against the development of the mould, especially in a humid environment, a protection against microbial attacks, a protection against a discolouration, prevents the bacteria action from bad smell.
- ✓ With **P.V.C dots on the palm** for greater strength, durability and grip.
- ✓ The guarantee and benefits of an **ISO 9001** certified manufacturing: quality of products, regularity...

>> Conformity

This glove has been tested according to the following European standards :

- **EN 420 : 2003 + A1 : 2009.** Protective gloves - General requirements and test methods.
- **EN 388 : 2016.** Protective gloves against mechanicals risks.



It complies with **European Regulation (EU) 2016/425** on Personal Protective Equipment (PPE). **Category II.**

EU type examination certificate (**module B**) issued by **SATRA (Irland)**. Notified body **n°2777**.

Download the EU declaration of conformity on: <http://docs.singer.fr>

EN 388: 2016. Mechanical data (information about levels)	Level 1	Level 2	Level 3	Level 4	Level 5	Levels	 3 1 3 1 X
Abrasion resistance (number of cycles)	100	500	2000	8000	-	3	
Blade cut resistance (index)	1,2	2,5	5,0	10,0	20,0	1	
Tear resistance (in Newtons)	10	25	50	75	-	3	
Puncture resistance (in Newtons)	20	60	100	150	-	1	
Cut resistance (N) as per EN ISO 13997	Level A	Level B	Level C	Level D	Level E	Level F	Level
	2	5	10	15	22	30	X

«X means that the glove has not been submitted to the test.

Your **SINGER® SAFETY** partner

